

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(@ad<"20040406" or @rlad<"20040406") and "370"/("469" or "370"/"344" or "370"/"231" or "370"/"444" or "370"/"412") and UDP near communication near stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:43
L3	1	"10552450"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/21 18:45
L4	9	((SATORU) near2 (EJIRI)). INV.	US-PGPUB; USPAT	ADJ	ON	2010/05/21 18:45
L5	2	"20030123485"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L6	439	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and radio near network near control\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L7	33	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L8	0	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L9	0	(@ad<"20040406" or @rlad<"20040406") and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45

L10	0	(@ad< "20040406" or @rlad< "20040406") and radio near network same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L11	0	(@ad< "20040406" or @rlad< "20040406") and 370/31{d} and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L12	13	(@ad< "20040406" or @rlad< "20040406") and 370/31{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L13	6	"7266105"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L14	43	(@ad< "20040406" or @rlad< "20040406") and 370/23{d} and OSI stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L15	0	(@ad< "20040406" or @rlad< "20040406") and 370/23{d} and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L16	0	(@ad< "20040406" or @rlad< "20040406") and 370/23{d} and OSI stack same incorp\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L17	0	(@ad< "20040406" or @rlad< "20040406") and OSI stack same incorp\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L18	6	(@ad< "20040406" or @rlad< "20040406") and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L19	3082	(@ad< "20040406" or @rlad< "20040406") and stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L20	70	(@ad< "20040406" or @rlad< "20040406") and stack near integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45

L21	1	(@ad<"20040406" or @rlad<"20040406") and UDP near communication near stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L22	463	(@ad<"20040406" or @rlad<"20040406") and UDP near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L23	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IPv6 near communication near node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L24	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IPv6 near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L25	106	(@ad<"20040406" or @rlad<"20040406") and UDP?IP near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L26	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IP near communication near node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L27	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IP near communication near device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L28	0	(09/682095).APP.	USPAT; USOCR	ADJ	ON	2010/05/21 18:45
L29	0	(@ad<"20040406" or @rlad<"20040406") and UDP near communication near module	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L30	112	(@ad<"20040406" or @rlad<"20040406") and layer near layer near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L31	0	UDP/IPv6 and Radio Link Controller and QoS and start near end	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L32	0	UDP/IPv6 and Radio Link Controller and QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L33	4	UDP/IPv6 and RLC and QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45

L34	0	UDP/IPv6 and RLC and segment\$5 near concat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L35	43	(@ad< "20040406" or @rlad< "20040406") and 370/23{d} and OSI stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L36	43	L35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L37	2	L35 and (370/469)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L38	70	(@ad< "20040406" or @rlad< "20040406") and stack near integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L39	1	L38 and (370/469)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L40	0	(@ad< "20040406" or @rlad< "20040406") and 370/23{d} and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L41	0	L40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L42	6	(@ad< "20040406" or @rlad< "20040406") and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L43	6	L42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L44	0	L42 and 370/469	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L45	2	L35 and 370/469	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L46	2	L35 and 370/469	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45

L47	0	(@ad<"20040406" or @rlad<"20040406") and (370/23{d} or 370/46{d}) and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L48	26	(@ad<"20040406" or @rlad<"20040406") and 370/46{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L49	7	(@ad<"20040406" or @rlad<"20040406") and 370/46{d} and radio near network near control\$4 same segment\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L50	61	(@ad<"20040406" or @rlad<"20040406") and 370/46{d} and OSI stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L51	26	(@ad<"20040406" or @rlad<"20040406") and 370/46{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L52	1	"10552450"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/21 18:45
L53	9	((SATORU) near2 (EJIRI)). INV.	US-PGPUB; USPAT	ADJ	ON	2010/05/21 18:45
L54	2	"20030123485"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L55	439	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and radio near network near control\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L56	33	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45

L57	0	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L58	0	(@ad<"20040406" or @rlad<"20040406") and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L59	0	(@ad<"20040406" or @rlad<"20040406") and radio near network same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L60	0	(@ad<"20040406" or @rlad<"20040406") and 370/31{d} and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L61	13	(@ad<"20040406" or @rlad<"20040406") and 370/31{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L62	6	"7266105"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L63	43	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and OSI stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L64	0	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L65	0	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and OSI stack same incorp\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L66	0	(@ad<"20040406" or @rlad<"20040406") and OSI stack same incorp\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45

L67	6	(@ad<"20040406" or @rlad<"20040406") and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L68	3082	(@ad<"20040406" or @rlad<"20040406") and stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L69	70	(@ad<"20040406" or @rlad<"20040406") and stack near integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L70	1	(@ad<"20040406" or @rlad<"20040406") and UDP near communication near stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L71	463	(@ad<"20040406" or @rlad<"20040406") and UDP near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L72	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IPv6 near communication near node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L73	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IPv6 near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L74	106	(@ad<"20040406" or @rlad<"20040406") and UDP?IP near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L75	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IP near communication near node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L76	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IP near communication near device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L77	0	(09/682095).APP.	USPAT; USOCR	ADJ	ON	2010/05/21 18:45
L78	0	(@ad<"20040406" or @rlad<"20040406") and UDP near communication near module	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L79	112	(@ad<"20040406" or @rlad<"20040406") and layer near layer near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45

L80	0	UDP/IPv6 and Radio Link Controller and QoS and start near end	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L81	0	UDP/IPv6 and Radio Link Controller and QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L82	4	UDP/IPv6 and RLC and QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L83	0	UDP/IPv6 and RLC and segment\$5 near concat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L84	43	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and OSI stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L85	43	L84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L86	2	L84 and (370/469)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L87	70	(@ad<"20040406" or @rlad<"20040406") and stack near integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L88	1	L87 and (370/469)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L89	0	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L90	0	L89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L91	6	(@ad<"20040406" or @rlad<"20040406") and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L92	6	L91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45

L93	0	L91 and 370/469	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L94	2	L84 and 370/469	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L95	2	L84 and 370/469	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L96	0	(@ad<"20040406" or @rlad<"20040406") and (370/23{d} or 370/46{d}) and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L97	26	(@ad<"20040406" or @rlad<"20040406") and 370/46{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L98	7	(@ad<"20040406" or @rlad<"20040406") and 370/46{d} and radio near network near control\$4 same segment\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L99	61	(@ad<"20040406" or @rlad<"20040406") and 370/46{d} and OSI stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L100	26	(@ad<"20040406" or @rlad<"20040406") and 370/46{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
L101	439	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and radio near network near control\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/05/21 18:45
S1	1	"10552450"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 14:22
S2	9	((SATORU) near2 (EJIRI)). INV.	US-PGPUB; USPAT	ADJ	ON	2008/12/18 10:45

S3	2	"20030123485"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/10 15:11
S4	389	(@ad< "20040406" or @rlad< "20040406") and 370/23{d} and radio near network near control\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/10 15:26
S5	28	(@ad< "20040406" or @rlad< "20040406") and 370/23{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/10 15:26
S6	0	(@ad< "20040406" or @rlad< "20040406") and 370/23{d} and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/10 16:17
S7	0	(@ad< "20040406" or @rlad< "20040406") and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/10 16:17
S8	0	(@ad< "20040406" or @rlad< "20040406") and radio near network same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/10 16:18
S9	0	(@ad< "20040406" or @rlad< "20040406") and 370/31{d} and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/10 16:31
S10	11	(@ad< "20040406" or @rlad< "20040406") and 370/31{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/10 16:31
S11	3	"7266105"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/10 16:37
S12	39	(@ad< "20040406" or @rlad< "20040406") and 370/23{d} and OSI stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 13:36

S13	0	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 13:36
S14	0	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and OSI stack same incorp\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 13:36
S15	0	(@ad<"20040406" or @rlad<"20040406") and OSI stack same incorp\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 13:37
S16	6	(@ad<"20040406" or @rlad<"20040406") and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 13:37
S17	2995	(@ad<"20040406" or @rlad<"20040406") and stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 13:40
S18	66	(@ad<"20040406" or @rlad<"20040406") and stack near integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 13:40
S19	1	(@ad<"20040406" or @rlad<"20040406") and UDP near communication near stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 13:46
S20	439	(@ad<"20040406" or @rlad<"20040406") and UDP near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 13:54
S21	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IPv6 near communication near node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 13:55
S22	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IPv6 near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 13:55
S23	102	(@ad<"20040406" or @rlad<"20040406") and UDP?IP near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 13:56
S24	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IP near communication near node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 13:56
S25	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IP near communication near device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 13:56

S26	0	(09/682095).APP.	USPAT; USOCR	ADJ	ON	2009/08/18 13:58
S27	0	(@ad<"20040406" or @rlad<"20040406") and UDP near communication near module	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 14:09
S28	106	(@ad<"20040406" or @rlad<"20040406") and layer near layer near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/18 14:10
S29	0	UDP/IPv6 and Radio Link Controller and QoS and start near end	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/31 14:06
S30	0	UDP/IPv6 and Radio Link Controller and QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/31 14:06
S31	4	UDP/IPv6 and RLC and QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/31 14:06
S32	0	UDP/IPv6 and RLC and segment\$5 near concat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/08/31 14:07
S33	42	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and OSI stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 12:58
S34	42	S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 12:58
S35	2	S33 and (370/469)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 12:58
S36	70	(@ad<"20040406" or @rlad<"20040406") and stack near integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 13:01
S37	1	S36 and (370/469)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 13:01
S38	0	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 13:02

S39	0	S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 13:02
S40	6	(@ad< "20040406" or @rlad< "20040406") and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 13:02
S41	6	S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 13:02
S42	0	S40 and 370/469	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 13:02
S43	2	S33 and 370/469	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 13:03
S44	2	S33 and 370/469	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 13:03
S45	0	(@ad< "20040406" or @rlad< "20040406") and (370/23{d} or 370/46{d}) and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:19
S46	26	(@ad< "20040406" or @rlad< "20040406") and 370/46{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:19
S47	7	(@ad< "20040406" or @rlad< "20040406") and 370/46{d} and radio near network near control\$4 same segment\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:20
S48	61	(@ad< "20040406" or @rlad< "20040406") and 370/46{d} and OSI stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:25
S49	26	(@ad< "20040406" or @rlad< "20040406") and 370/46{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:26

S50	1	"10552450"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/24 15:53
S51	9	((SATORU) near2 (EJIRI)). INV.	US-PGPUB; USPAT	ADJ	ON	2010/04/24 15:53
S52	2	"20030123485"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S53	435	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and radio near network near control\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S54	33	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S55	0	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S56	0	(@ad<"20040406" or @rlad<"20040406") and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S57	0	(@ad<"20040406" or @rlad<"20040406") and radio near network same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S58	0	(@ad<"20040406" or @rlad<"20040406") and 370/31{d} and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S59	12	(@ad<"20040406" or @rlad<"20040406") and 370/31{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53

S60	6	"7266105"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S61	42	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and OSI stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S62	0	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S63	0	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and OSI stack same incorp\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S64	0	(@ad<"20040406" or @rlad<"20040406") and OSI stack same incorp\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S65	6	(@ad<"20040406" or @rlad<"20040406") and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S66	3071	(@ad<"20040406" or @rlad<"20040406") and stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S67	70	(@ad<"20040406" or @rlad<"20040406") and stack near integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S68	1	(@ad<"20040406" or @rlad<"20040406") and UDP near communication near stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S69	461	(@ad<"20040406" or @rlad<"20040406") and UDP near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S70	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IPv6 near communication near node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S71	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IPv6 near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S72	106	(@ad<"20040406" or @rlad<"20040406") and UDP?IP near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53

S73	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IP near communication near node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S74	0	(@ad<"20040406" or @rlad<"20040406") and UDP?IP near communication near device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S75	0	(09/682095).APP.	USPAT; USOCR	ADJ	ON	2010/04/24 15:53
S76	0	(@ad<"20040406" or @rlad<"20040406") and UDP near communication near module	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S77	111	(@ad<"20040406" or @rlad<"20040406") and layer near layer near communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S78	0	UDP/IPv6 and Radio Link Controller and QoS and start near end	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S79	0	UDP/IPv6 and Radio Link Controller and QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S80	4	UDP/IPv6 and RLC and QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S81	0	UDP/IPv6 and RLC and segment\$5 near concat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S82	42	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and OSI stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S83	42	S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S84	2	S82 and (370/469)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S85	70	(@ad<"20040406" or @rlad<"20040406") and stack near integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53

S86	1	S85 and (370/469)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S87	0	(@ad<"20040406" or @rlad<"20040406") and 370/23{d} and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S88	0	S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S89	6	(@ad<"20040406" or @rlad<"20040406") and OSI stack same integration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S90	6	S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S91	0	S89 and 370/469	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S92	2	S82 and 370/469	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S93	2	S82 and 370/469	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S94	0	(@ad<"20040406" or @rlad<"20040406") and (370/23{d} or 370/46{d}) and radio near network near control\$4 same data near segmentation near concatenation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S95	26	(@ad<"20040406" or @rlad<"20040406") and 370/46{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S96	7	(@ad<"20040406" or @rlad<"20040406") and 370/46{d} and radio near network near control\$4 same segment\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53

S97	61	(@ad< "20040406" or @rlad< "20040406") and 370/46{d} and OSI stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S98	26	(@ad< "20040406" or @rlad< "20040406") and 370/46{d} and radio near network near control\$4 same QoS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53
S99	435	(@ad< "20040406" or @rlad< "20040406") and 370/23{d} and radio near network near control\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/04/24 15:53

5/ 21/ 2010 6:51:12 PM

C:\ Documents and Settings\ hbaron\ My Documents\ EAST\ Workspaces\ 10552450a.wsp